

## 1. IDENTIFICATION:

Order Code: SHK-725-6500K  
Commercial Name: Instant Nails  
Other Names: Multi-use Adhesive  
Intended Use: A high strength 'SOLVENT FREE' gap filling adhesive with quick 'grab' to replace nails when fixing materials in many home improvement applications.

Company: Sherlock, PO Box 14, Wigston, Leicester, England, LE18 1AT  
Tel: 0116 288 8000 Fax: 0116 288 8222  
Emergency Telephone Number: 0116 257 2445

## 2. GENERAL DESCRIPTION AND COMPOSITION INFORMATION

INGREDIENT NAME	CONTENTS	Cas No	HEALTH RISK (class) (R.No.)
-----------------	----------	--------	-----------------------------

## 3. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

## 4. FIRST AID MEASURES

Skin contact: There may be mild irritation at the site of contact. Wash immediately with plenty of soap and water.

Eye contact: There may be irritation and redness. Bathe the eye with running water for 15 minutes.

Ingestion: There may be irritation of the throat. Wash out mouth with water.

Inhalation: No symptoms.

## 5. FIRE FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Wash the spillage site with large amounts of water.

---

## 7. HANDLING AND STORAGE

Handling requirements:	Ensure there is sufficient ventilation of the area.
Storage conditions:	Store in original containers between +5 and +25`C. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.
Suitable packaging:	Must only be kept in original packaging.

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory protection:	Respiratory protection not required.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Paste
Colour:	White
Odour:	Barely perceptible odour
Solubility in water:	Miscible
Also soluble in:	Most organic solvents.
Viscosity:	Highly viscous
Viscosity value:	230-330
Viscosity test method:	x 1000 cps - Brookfield HBDV2+, spindle S70, 10rpm @ 20`C
Boiling point/range`C:	100
Relative density:	1.48
pH:	8.5-9.9

---

## 10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Conditions to avoid:	Heat.
Materials to avoid:	Strong oxidising agents. Strong acids.
Haz. decomp. products:	In combustion emits toxic fumes.

---

### **11. TOXICOLOGICAL INFORMATION**

Routes of exposure: Refer to section 4 for routes of exposure and corresponding symptoms.

---

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability: No data available.

Bio-accumulative potential: No data available.

Other adverse effects: No data available.

---

### **13. DISPOSABLE CONSIDERATION**

Disposal operations: Dispose of according to local or national legislation

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

---

### **14. TRANSPORT INFORMATION**

NON HAZARDOUS: Not subject to Transport Legislation.

---

### **15. REGULATORY INFORMATION**

Hazard symbols: No significant hazard.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

---

### **16. OTHER INFORMATION**

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.